FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO

ONEOK WesTex Transmission L.L.C.

AUTHORIZING THE OPERATION OF

Red River Compressor Station No 1 Natural Gas Transmission LOCATED AT

Wheeler County, Texas

Latitude 32° 24' 50" Longitude 100° 13' 45"

Regulated Entity Number: RN100244631

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

	Permit No:	<u>0564</u>	_Issuance Date: _	
-	For the Co	mmission		

Table of Contents

Section	Page
General Terms and Conditions	1
Special Terms and Conditions	1
Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting	1
New Source Review Authorization Requirements	
Compliance Requirements	
Permit Location	
Permit Shield (30 TAC § 122.148)	
Attachments	10
Applicable Requirements Summary	11
Permit Shield	16
New Source Review Authorization References	18
Appendix A	21
Acronym List	22
Appendix B	23

General Terms and Conditions

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

Special Terms and Conditions: Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

- 1. Permit holder shall comply with the following requirements:
 - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
 - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.

- C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
- D. Emission units subject to 40 CFR Part 63, Subpart ZZZZ as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter 113, Subchapter C, § 113.1090 which incorporates the 40 CFR Part 63 Subpart by reference.
- 2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
 - A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
 - B. Title 30 TAC § 101.3 (relating to Circumvention)
 - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
 - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
 - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
 - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
 - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
 - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
 - I. Title 30 TAC § 101.222 (relating to Demonstrations)
 - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
- 3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
 - A. For stationary vents with a flow rate of less than 100,000 actual cubic feet per minute and constructed after January 31, 1972 that are not listed in the Applicable Requirements Summary attachment, the permit holder shall comply with the following requirements:

- (i) Title 30 TAC § 111.111(a)(1)(B) (relating to Requirements for Specified Sources)
- (ii) Title 30 TAC § 111.111(a)(1)(E)
- (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
- (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(B), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that do not emit visible emissions such as vents that emit only VOC or vents that provide passive ventilation, such as plumbing vents; or vents that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(B) and Compliance Assurance Monitoring, as specified in the attached "Applicable Requirements Summary" and "Additional Monitoring Requirements:"
 - (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
 - (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the minimum required value does not constitute creation of an alternative fuel.
 - (3) Records of all observations shall be maintained.
 - (4) Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of emission units operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions observations shall be made during times when the

activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eves. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.

(5) Compliance Certification:

- (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(B).
- (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance. the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.
- (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible data must be considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.

- B. For visible emissions from a building, enclosed facility, or other structure; the permit holder shall comply with the following requirements:
 - (i) Title 30 TAC § 111.111(a)(7)(A) (relating to Requirements for Specified Sources)
 - (ii) Title 30 TAC § 111.111(a)(7)(B)(i) or (ii)
 - (iii) For a building containing an air emission source, enclosed facility, or other structure containing or associated with an air emission source subject to 30 TAC § 111.111(a)(7)(A), complying with 30 TAC § 111.111(a)(7)(B)(i) or (ii), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146:
 - (1) An observation of visible emissions from a building containing an air emission source, enclosed facility, or other structure containing or associated with an air emission source which is required to comply with 30 TAC § 111.111(a)(7)(A) shall be conducted at least once during each calendar quarter unless the air emission source or enclosed facility is not operating for the entire quarter.
 - (2) Records of all observations shall be maintained.
 - (3)Visible emissions observations of air emission sources or enclosed facilities operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of air emission sources or enclosed facilities operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions shall be determined with each emissions outlet in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each emissions outlet during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.

- (4) Compliance Certification:
 - (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(7) and (a)(7)(A)
 - (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(7)(B) to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance. the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.
- 4. The permit holder shall comply with the following requirements for units subject to any subpart of 40 CFR Part 60, unless otherwise stated in the applicable subpart:
 - A. Title 40 CFR § 60.7 (relating to Notification and Recordkeeping)
 - B. Title 40 CFR § 60.8 (relating to Performance Tests)
 - C. Title 40 CFR § 60.11 (relating to Compliance with Standards and Maintenance Requirements)
 - D. Title 40 CFR § 60.12 (relating to Circumvention)
 - E. Title 40 CFR § 60.13 (relating to Monitoring Requirements)
 - F. Title 40 CFR § 60.14 (relating to Modification)
 - G. Title 40 CFR § 60.15 (relating to Reconstruction)
 - A. Title 40 CFR § 60.19 (relating to General Notification and Reporting Requirements)

- 5. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
- 6. The permit holder shall comply with certified registrations submitted to the TCEQ for purposes of establishing federally enforceable emission limits. A copy of the certified registration shall be maintained with the permit. Records sufficient to demonstrate compliance with the established limits shall be maintained. The certified registration and records demonstrating compliance shall be provided, on request, to representatives of the appropriate TCEQ regional office and any local air pollution control agency having jurisdiction over the site. The permit holder shall submit updated certified registrations when changes at the site require establishment of new emission limits. If changes result in emissions that do not remain below major source thresholds, the permit holder shall submit a revision application to codify the appropriate requirements in the permit.

New Source Review Authorization Requirements

- 7. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:
 - A. Are incorporated by reference into this permit as applicable requirements
 - B. Shall be located with this operating permit
 - C. Are not eligible for a permit shield
- 8. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
- 9. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, material safety data sheets (MSDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or

PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144.

- A. If applicable, monitoring of control device performance or general work practice standards shall be made in accordance with the TCEQ Periodic Monitoring Guidance document.
- B. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).

Compliance Requirements

- 10. The permit holder shall certify compliance with all permit terms and conditions using, at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
- 11. Use of Discrete Emission Credits to comply with the applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) If applicable, offsets for Title 30 TAC Chapter 116
 - (iv) Temporarily exceed state NSR permit allowables
 - B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
 - (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
 - (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)

(iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122

Permit Location

12. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit at OWT Lubbock Office, 4002 Martin Luther King Boulevard, Lubbock, Texas 79404.

Permit Shield (30 TAC § 122.148)

13. A permit shield is granted for the emission units, groups, or processes specified in the attached "Permit Shield." Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment "Permit Shield." Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

Attachments

Applicable Requirements Summary

Permit Shield

New Source Review Authorization References

Unit Summary	. 12
Applicable Requirements Summary	1;

Note: A "none" entry may be noted for some emission sources in this permit's "Applicable Requirements Summary" under the heading of "Monitoring and Testing Requirements" and/or "Recordkeeping Requirements" and/or "Reporting Requirements." Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
511	SRIC ENGINES	N/A	63ZZZZ-1	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
6003	SRIC ENGINES	N/A	63ZZZZ-1	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
6004	SRIC ENGINES	N/A	63ZZZZ-1	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
6301	STATIONARY TURBINES	N/A	60GG	40 CFR Part 60, Subpart GG	No changing attributes.
6302	STATIONARY TURBINES	N/A	60GG	40 CFR Part 60, Subpart GG	No changing attributes.
6303	STATIONARY TURBINES	N/A	60GG	40 CFR Part 60, Subpart GG	No changing attributes.
6304	STATIONARY TURBINES	N/A	60GG	40 CFR Part 60, Subpart GG	No changing attributes.

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
511	EU	63ZZZZ-1	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6603(a)- Table2d.5 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(j) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4)	For each existing emergency stationary SI RICE; black start stationary SI RICE; non-emergency, non-black start 4SLB stationary RICE with a site rating greater than 500 HP that operates 24 hours or less per calendar year; non-emergency, non-black start 4SRB stationary RICE with a site rating greater than 500 HP that operates 24 hours or less per calendar year, located at an area source, you must comply with the requirements as specified in Table 2d.5.a-c.	\$ 63.6625(f) \$ 63.6625(j) \$ 63.6640(a) \$ 63.6640(a)- Table6.9.a.i \$ 63.6640(a)- Table6.9.a.ii \$ 63.6640(b)	\$ 63.6625(j) \$ 63.6655(a) \$ 63.6655(a)(1) \$ 63.6655(d) \$ 63.6655(e) \$ 63.6655(f) \$ 63.6660(a) \$ 63.6660(b) \$ 63.6660(c)	§ 63.6640(b) § 63.6640(e) § 63.6650(a)-Table7.4 § 63.6650(f) [G]§ 63.6650(h)
6003	EU	63ZZZZ-1	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	\$ 63.6603(a)- Table2d.11 \$ 63.6595(a)(1) \$ 63.6603(f) \$ 63.6605(a) \$ 63.6605(b) \$ 63.6625(e) \$ 63.6625(h) \$ 63.6625(j) \$ 63.6640(b)	4SRB remote stationary RICE with a site rating greater than 500 HP, located at an area source,	\$ 63.6625(j) \$ 63.6640(a) \$ 63.6640(a)- Table6.9.a.i \$ 63.6640(a)- Table6.9.a.ii \$ 63.6640(b)	\$ 63.6603(f) \$ 63.6625(j) \$ 63.6655(a) \$ 63.6655(a)(1) \$ 63.6655(d) \$ 63.6655(e) \$ 63.6660(a) \$ 63.6660(b) \$ 63.6660(c)	§ 63.6640(b) § 63.6640(e) § 63.6650(f)
6004	EU	63ZZZZ-1	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	\$ 63.6603(a)- Table2d.11 \$ 63.6595(a)(1) \$ 63.6603(f) \$ 63.6605(a) \$ 63.6605(b) \$ 63.6625(e) \$ 63.6625(h) \$ 63.6625(j) \$ 63.6640(b)	4SRB remote stationary RICE with a site rating greater than 500 HP, located at an area source,	§ 63.6625(j) § 63.6640(a) § 63.6640(a)- Table6.9.a.i § 63.6640(a)- Table6.9.a.ii § 63.6640(b)	\$ 63.6603(f) \$ 63.6625(j) \$ 63.6655(a) \$ 63.6655(a)(1) \$ 63.6655(d) \$ 63.6655(e) \$ 63.6660(a) \$ 63.6660(b) \$ 63.6660(c)	§ 63.6640(b) § 63.6640(e) § 63.6650(f)

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
6301	EU	60GG	SO ₂	40 CFR Part 60, Subpart GG	§ 60.333(b)	No stationary gas turbine shall burn any fuel which contains sulfur in excess of 0.8% by weight.	\$ 60.334(h) \$ 60.334(h)(1) \$ 60.334(i) \$ 60.334(i)(3) \$ 60.334(j)(2)(i) \$ 60.334(j)(2)(iii) \$ 60.335(b)(10) \$ 60.335(b)(11)	None	§ 60.334(j) § 60.334(j)(5)
6302	EU	60GG	SO ₂	40 CFR Part 60, Subpart GG	§ 60.333(b)	No stationary gas turbine shall burn any fuel which contains sulfur in excess of 0.8% by weight.	\$ 60.334(h) \$ 60.334(h)(1) \$ 60.334(i) \$ 60.334(i)(3) \$ 60.334(j)(2)(i) \$ 60.334(j)(2)(iii) \$ 60.335(b)(10) \$ 60.335(b)(11)	None	§ 60.334(j) § 60.334(j)(5)
6303	EU	60GG	SO ₂	40 CFR Part 60, Subpart GG	§ 60.333(b)	No stationary gas turbine shall burn any fuel which contains sulfur in excess of 0.8% by weight.	\$ 60.334(h) \$ 60.334(h)(1) \$ 60.334(i) \$ 60.334(i)(3) \$ 60.334(j)(2)(i) \$ 60.334(j)(2)(iii) \$ 60.335(b)(10) \$ 60.335(b)(11)	None	§ 60.334(j) § 60.334(j)(5)
6304	EU	60GG	SO ₂	40 CFR Part 60, Subpart GG	§ 60.333(b)	No stationary gas turbine shall burn any fuel which contains sulfur in excess of 0.8% by weight.	§ 60.334(h) § 60.334(h)(1) § 60.334(i) § 60.334(i)(3) § 60.334(j)(2)(i) § 60.334(j)(2)(iii)	None	§ 60.334(j) § 60.334(j)(5)

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 60.335(b)(10) § 60.335(b)(10)(ii) § 60.335(b)(11)		

	Permit Shield		
Permit Shield	•••••	•••••	17

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Gro	up/Process	Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
CW TK-1	N/A	40 CFR Part 60, Subpart Ka	Tank capacity less than 40,000 gallons.
CW TK-2	N/A	40 CFR Part 60, Subpart Ka	Tank capacity less than 40,000 gallons.

New Source Review Authorization References	
New Source Review Authorization References	19
New Source Review Authorization References by Emission Unit	20

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Prevention of Significant Deterioration (PSD) Permits					
PSD Permit No.: PSDTX460	Issuance Date: 07/13/2009				
Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area.					
Authorization No.: 9005	Issuance Date: 07/13/2009				
Permits By Rule (30 TAC Chapter 10	6) for the Application Area				
Number: 106.183	Version No./Date: 09/04/2000				
Number: 106.261	Version No./Date: 11/01/2003				
Number: 106.263	Version No./Date: 11/01/2001				
Number: 106.264	Version No./Date: 09/04/2000				
Number: 106.352	Version No./Date: 09/04/2000				
Number: 106.359	Version No./Date: 09/10/2013				
Number: 106.371	Version No./Date: 09/04/2000				
Number: 106.454	Version No./Date: 11/01/2001				
Number: 106.472	Version No./Date: 09/04/2000				
Number: 106.473	Version No./Date: 09/04/2000				
Number: 106.476	Version No./Date: 09/04/2000				
Number: 106.478	Version No./Date: 09/04/2000				
Number: 106.511	Version No./Date: 09/04/2000				
Number: 106.512	Version No./Date: 03/14/1997				
Number: 106.512	Version No./Date: 06/13/2001				
Number: 63	Version No./Date: 09/23/1982				

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
511	EMERGENCY GENERATOR	106.511/09/04/2000
6003	CATERPILLAR G399TA COMPRESSOR ENGINE	106.512/03/14/1997
6004	WAUKESHA L7042GSI COMPRESSOR ENGINE	106.512/06/13/2001
6301	SOLAR CENTAUR GAS-FIRED TURBINE	9005, PSDTX460
6302	SOLAR CENTAUR GAS-FIRED TURBINE	9005, PSDTX460
6303	SOLAR CENTAUR GAS-FIRED TURBINE	9005, PSDTX460
6304	SOLAR CENTAUR GAS-FIRED TURBINE	9005, PSDTX460
CW TK-1	CONDENSATE/WASTEWATER STORAGE TANK	063/09/23/1982
CW TK-2	CONDENSATE/WASTEWATER STORAGE TANK	063/09/23/1982

	Appendix A	
Acronym List		29

Acronym List

The following abbreviations or acronyms may be used in this permit:

ACEM	actual cubic feet per minute
	alternate means of control
	Acid Rain Program
ANT	
	Beaumont/Port Arthur (nonattainment area)
CD	control device
COMS	continuous opacity monitoring system
CVS	closed-vent system
D/FW	Dallas/Fort Worth (nonattainment area)
DR	Designated Representative
ElP	El Paso (nonattainment area)
EP	emission point
EPA	U.S. Environmental Protection Agency
EU	emission unit
	Federal Clean Air Act Amendments
FOP	federal operating permit
	grandfathered
gr/100 scf	grains per 100 standard cubic feet
	hazardous air pollutant
H/G/B	Houston/Galveston/Brazoria (nonattainment area)
	hydrogen sulfide
	identification number
lb/hr	pound(s) per hour
MMBtu/hr	pound(s) per hour Million British thermal units per hour
MRRT	monitoring, recordkeeping, reporting, and testing
	nonattainment
	not applicable
	National Allowance Data Base
	nitrogen oxides
	New Source Performance Standard (40 CFR Part 60)
NSR	New Source Review
	Office of Regulatory Information Systems
Pb	lead
PBR	Permit By Rule
	particulate matter
ppmv	parts per million by volume
PSD	prevention of significant deterioration
	Responsible Official
SO ₂	sulfur dioxide
	Texas Commission on Environmental Quality
	total suspended particulate
	true vapor pressure
	volatile organic compound
Y OO	voiathe organic compound

	Appendix B
Major NSR Summary Table	24

Major NSR Summary Table

Permit Number: 9005/PSD-TX-460 Issua				nce Date: July 13, 2009			
Air					Monitoring and	Recordkeeping	Reporting
Emission	Source	Contaminant		Emission Rates * Testing Requirements		Requirements	Requirements
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	Spec. Cond.	Spec. Cond.	Spec. Cond.
	Solar Centaur						
6301	Turbine	NOx (5)	15.89	69.60	2, 7 and 8	3, 7, 8 and 9	10
		CO	7.17	31.36			
		VOC	1.46	6.40			
		PM10	0.24	1.06			
		SO2	0.03	0.12			
	Solar Centaur						
6302	Turbine	NOx (5)	15.89	69.60	2, 7 and 8	3, 7, 8 and 9	10
		CO	7.17	31.36			
		VOC	1.46	6.40			
		PM10	0.24	1.06			
		SO2	0.03	0.12			
	Solar Centaur						
6303	Turbine	NOx (5)	15.89	69.60	2, 7 and 8	3, 7, 8 and 9	10
0,00	Turbine	CO	7.17	31.36		3, /, 0 und 9	
		VOC	1.46	6.40	_		
		PM10	0.24	1.06			
		SO2	0.03	0.12			
		502	0.03	0.12			
	Solar Centaur						
6304	Turbine	NOx (5)	15.89	69.60	2, 7 and 8	3, 7, 8 and 9	10

Permit Number:	9005/PSD-TX-460	1	Issuance Date: July 13, 2009						
Emission	Source	Air Contaminant	Emission Rates *		Emission Rates *		Monitoring and Testing Requirements	Recordkeeping Requirements	Reporting Requirements
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	Spec. Cond.	Spec. Cond.	Spec. Cond.		
		CO	7.17	31.36					
		VOC	1.46	6.40					
		PM10	0.24	1.06					
		SO2	0.03	0.12					
FUG	Facility Fugitives	VOC (4)	0.03	0.10					

Footnotes:

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) CO - carbon monoxide

NO_x - total oxides of nitrogen

 PM_{10} - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.

SO₂ - sulfur dioxide

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

(4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

(5) PSD pollutant

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

<u>24</u> Hrs/day <u>7</u> Days/week <u>52</u> Weeks/year

** Compliance with annual emission limits is based on a rolling 12-month period.



TEXAS CON IISSION ON ENVIRONMEN'. L QUALITY AIR QUALITY PERMIT

AIR QUALITY PERMIT

A PERMIT IS HEREBY ISSUED TO
ONEOK WesTex Transmission, L.L.C.

AUTHORIZING THE CONTINUED OPERATION OF
Red Rivier Natural Gas Compressor Station No. 1
LOCATED AT Wheeler, Wheeler County, Texas



1. Facilities covered by this permit shall be constructed and operated as specified in the application for the permit. All representations regarding construction plans and operation procedures contained in the permit application shall be conditions upon which the permit is issued. Variations from these representations shall be unlawful unless the permit holder first makes application to the Texas Commission on Environmental Quality (commission) Executive Director to amend this permit in that regard and such amendment is approved. [Title 30 Texas Administrative Code § 116.116 (30 TAC § 116.116)]

LATITUDE 35° 24′ 50" LONGITUDE 100° 13′ 45"

- 2. Voiding of Permit. A permit or permit amendment is automatically void if the holder fails to begin construction within 18 months of the date of issuance, discontinues construction for more than 18 months prior to completion, or fails to complete construction within a reasonable time. Upon request, the executive director may grant an 18-month extension. Before the extension is granted the permit may be subject to revision based on best available control technology, lowest achievable emission rate, and netting or offsets as applicable. One additional extension of up to 18 months may be granted if the permit holder demonstrates that emissions from the facility will comply with all rules and regulations of the commission, the intent of the Texas Clean Air Act (TCAA), including protection of the public's health and physical property; and (b)(1)the permit holder is a party to litigation not of the permit holder's initiation regarding the issuance of the permit; or (b)(2) the permit holder has spent, or committed to spend, at least10 percent of the estimated total cost of the project up to a maximum of \$5 million. A permit holder granted an extension under subsection (b)(1) of this section may receive one subsequent extension if the permit holder meets the conditions of subsection (b)(2) of this section. [30 TAC § 116.120(a), (b) and (c)]
- 3. Construction Progress. Start of construction, construction interruptions exceeding 45 days, and completion of construction shall be reported to the appropriate regional office of the commission not later than 15 working days after occurrence of the event. [30 TAC § 116.115(b)(2)(A)]
- 4. Start-up Notification. The appropriate air program regional office shall be notified prior to the commencement of operations of the facilities authorized by the permit in such a manner that a representative of the commission may be present. The permit holder shall provide a separate notification for the commencement of operations for each unit of phased construction, which may involve a series of units commencing operations at different times. Prior to operation of the facilities authorized by the permit, the permit holder shall identify to the Office of Permitting and Registration the source or sources of allowances to be utilized for compliance with Chapter 101, Subchapter H, Division 3 of this title (relating to Mass Emissions Cap and Trade Program). [30 TAC § 116.115(b)(2)(B)]
- 5. Sampling Requirements. If sampling is required, the permit holder shall contact the commission's Office of Compliance and Enforcement prior to sampling to obtain the proper data forms and procedures. All sampling and testing procedures must be approved by the executive director and coordinated with the regional representatives of the commission. The permit holder is also responsible for providing sampling facilities and conducting the sampling operations or contracting with an independent sampling consultant. [30 TAC § 116.115(b)(2)(C)]
- quivalency of Methods. The permit holder must demonstrate or otherwise justify the equivalency of emission control methods, sampling or other emission testing ethods, and monitoring methods proposed as alternatives to methods indicated in the conditions of the permit. Alternative methods shall be applied for in writing and must be reviewed and approved by the executive director prior to their use in fulfilling any requirements of the permit. [30 TAC § 116.115(b)(2)(D)]
- 7. Recordkeeping. The permit holder shall maintain a copy of the permit along with records containing the information and data sufficient to demonstrate compliance with the permit, including production records and operating hours; keep all required records in a file at the plant site. If, however, the facility normally operates unattended, records shall be maintained at the nearest staffed location within Texas specified in the application; make the records available at the request of personnel from the commission or any air pollution control program having jurisdiction; comply with any additional recordkeeping requirements specified in special conditions attached to the permit; and retain information in the file for at least two years following the date that the information or data is obtained. [30 TAC § 116.115(b)(2)(E)]
- 8. Maximum Allowable Emission Rates. The total emissions of air contaminants from any of the sources of emissions must not exceed the values stated on the table attached to the permit entitled "Emission Sources--Maximum Allowable Emission Rates." [30 TAC § 116.115(b)(2)(F)]
- 9. Maintenance of Emission Control. The permitted facilities shall not be operated unless all air pollution emission capture and abatement equipment is maintained in good working order and operating properly during normal facility operations. The permit holder shall provide notification for upsets and maintenance in accordance with §§ 101.201, 101.211, and 101.221 of this title (relating to Emissions Event Reporting and Recordkeeping Requirements; Scheduled Maintenance, Startup, and Shutdown Reporting and Recordkeeping Requirements; and Operational Requirements). [30 TAC § 116.115(b)(2)(G)]
- 10. Compliance with Rules. Acceptance of a permit by an applicant constitutes an acknowledgment and agreement that the permit holder will comply with all rules, regulations, and orders of the commission issued in conformity with the TCAA and the conditions precedent to the granting of the permit. If more than one state or federal rule or regulation or permit condition is applicable, the most stringent limit or condition shall govern and be the standard by which compliance shall be demonstrated. Acceptance includes consent to the entrance of commission employees and agents into the permitted premises at reasonable times to investigate conditions relating to the emission or concentration of air contaminants, including compliance with the permit. [30 TAC § 116.115(b)(2)(H)]
- 11. This permit may be appealed pursuant to 30 TAC § 50.139.
- 12. This permit may not be transferred, assigned, or conveyed by the holder except as provided by rule. [30 TAC § 116.110(e)]
- 13. There may be additional special conditions attached to a permit upon issuance or modification of the permit. Such conditions in a permit may be more restrictive than the requirements of Title 30 of the Texas Administrative Code. [30 TAC § 116.115(c)]
- 14. Emissions from this facility must not cause or contribute to a condition of "air pollution" as defined in TCAA § 382.003(3) or violate TCAA § 382.085, as codified in the Texas Health and Safety Code. If the executive director determines that such a condition or violation occurs, the holder shall implement additional abatement measures as necessary to control or prevent the condition or violation.

PENAITS 9005 and PSDTX460

Date: July 13, 2009

Mad Vices
For the Commission

SPECIAL CONDITIONS

Permit Numbers 9005 and PSDTX460

EMISSION STANDARDS

- 1. This permit authorizes emissions only from those points listed in the attached table entitled "Emission Sources Maximum Allowable Emission Rates," and the facilities covered by this permit are authorized to emit subject to the emission rate limits on that table and other operating requirements specified in the special conditions.
- 2. The turbines, identified as Emission Point Nos. (EPNs) 6301, 6302, 6303, and 6304, shall comply with all applicable requirements of Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60), Subparts A and GG. If any condition of this permit is more stringent than the regulations so incorporated, then for the purposes of complying with this permit, the permit condition shall govern and be the standard by which compliance shall be demonstrated. (**PSD**)
- 3. A copy of this permit shall be kept at the plant site and made readily available at the request of personnel from the Texas Commission on Environmental Quality (TCEQ) or the U.S. Environmental Protection Agency (EPA). The holder of this permit shall physically identify and permanently mark in a conspicuous location all equipment that has the potential of emitting air contaminants as follows: (PSD)
 - A. The facility identification numbers as submitted to the Emissions Inventory Section of the TCEQ.
 - B. The EPNs as listed on the maximum allowable emission rates table.
- 4. The natural gas input to the four Solar Centaur turbines, rated at 3830-horsepower (hp) each, 9,590 BTU/hp-hour (lower heating value), Model No. CT1-CB-168/168, is limited to pipeline-quality sweet natural gas containing no more than 0.25 grain hydrogen sulfide per 100 dscf. The use of any other gas will require an amendment to this permit.
- 5. The emissions from each Turbine defined as (EPNs 6301 through 6304) is limited as follows: (PSD)

Air	Emission Factor	
Contaminant	at Full Load	Exhaust Oxygen Content
and an anamida (CO)	100	15.0 managet
carbon monoxide (CO)	100 ppmvd	15.0 percent
nitrogen oxides (NO _x)	135 ppmvd	15.0 percent
sulfur dioxide (SO ₂)	0.00067 lb/mscf of fuel input	15.0 percent
volatile organic compounds	50 ppmvd	15.0 percent

SPECIAL CONDITIONS Permit Numbers 9005 and PSDTX460 Page 2

6. No planned maintenance, start-up, and shutdown activities and emissions are authorized by this permit.

CONTINUOUS DETERMINATION OF COMPLIANCE

7. In order to demonstrate that the emission limits specified in Special Condition Nos. 1 and 5 are continuously met, the holder of this permit shall conduct a semiannual evaluation of compressor turbine performance at the maximum load achievable based on ambient and available gas supply conditions, for at least one of the four turbines by measuring NO_x, CO, and O₂ content of the exhaust. The initial evaluation shall be conducted within 60 days after the issue date of the most recent permit renewal. The use of portable analyzers specifically designed for measuring the concentration of each contaminant in parts per million is acceptable for this evaluation. A hot air probe or equivalent should be used with portable analyzers to prevent introduction of error in results because of high stack temperatures. Three sets of measurements should be averaged to determine the concentrations. Prior to and following the measurements, the portable analyzer shall be checked for accuracy using an audit gas that conforms to the specifications in 40 CFR Part 60, Appendix F, § 5.1.2(3). Any other method approved by the TCEQ Regional Director is also acceptable. (**PSD**)

Emissions shall be measured and recorded in the as-found operating condition, except no compliance determination shall be established during start-up, shutdown, or under breakdown conditions.

8. In order to demonstrate that the SO₂ emission limits specified in Special Condition Nos. 1 and 5 are continuously met, the holder of this permit shall conduct semiannual fuel sulfur monitoring.

RECORDKEEPING AND REPORTING

- 9. Written records of the results of all semiannual compliance testing required in Special Condition Nos. 7 and 8 shall be made and maintained at the plant site by the holder of this permit on a two-year rolling retention basis and shall be made available upon request to designated representatives of the TCEQ or U.S. EPA personnel. (**PSD**)
- 10. The holder of this permit shall submit annual reports to the TCEQ Regional Office and the TCEQ Office of Permitting and Registration, Air Permits Division in Austin. Such reports are required for each emission unit which is subject to Special Condition Nos. 7 and 8.

SPECIAL CONDITIONS Permit Numbers 9005 and PSDTX460 Page 3

- A. Each report shall contain the results of the semiannual tests.
- B. Noncomplying emissions are defined as any semiannual measurement which exceeds the emission factors in Special Condition No. 5. **(PSD)**

Dated July 13, 2009

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Numbers 9005 and PSDTX460

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission	Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
c201		G0	5.45	21.25
6301	Solar Centaur Turbine	CO	7.17	31.36
	9,590 BTU/hp-hr	NO_x (5)	15.89	69.60
	3,830-hp	PM_{10}	0.24	1.06
		SO_2	0.03	0.12
		VOC	1.46	6.40
6302	Solar Centaur Turbine	CO	7.17	31.36
	9,590 BTU/hp-hr	NO_x (5)	15.89	69.60
	3,830-hp	PM_{10}	0.24	1.06
	, 1	SO_2	0.03	0.12
		VOC	1.46	6.40
6303	Solar Centaur Turbine	CO	7.17	31.36
	9,590 BTU/hp-hr	NO_x (5)	15.89	69.60
	3,830-hp	PM_{10}	0.24	1.06
	, 1	SO_2	0.03	0.12
		VOC	1.46	6.40
6304	Solar Centaur Turbine	CO	7.17	31.36
	9,590 BTU/hp-hr	NO_x (5)	15.89	69.60
	3,830-hp	PM_{10}	0.24	1.06
	ı	SO_2	0.03	0.12
		VOC	1.46	6.40
FUG	Facility Fugitive Emissions (4)	VOC	0.03	0.10

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(1)	Emission point identification - either specific equipment designation or emission point number from plo	οt
	plan.	
(2)	Specific point source name. For fugitive sources use area name or fugitive source name.	

(3) CO - carbon monoxide

 NO_x - total oxides of nitrogen

 PM_{10} - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.

SO₂ - sulfur dioxide

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) PSD pollutant

* Emission rates are based on and the facilities are limited by the following maximum operating schedu	lule:
--	-------

	2	24	Hrs/day	7	_Days/week	52	Weeks/yea
--	---	----	---------	---	------------	----	-----------

** Compliance with annual emission limits is based on a rolling 12-month period.

Dated July 13, 2009